

Nasdaq Nordic

Genium INET Connectivity Information

Version 3.2 | 19 MARCH 2026



CONFIDENTIALITY/DISCLAIMER

This specification is being forwarded to you strictly for informational purposes and solely for the purpose of developing or operating systems for your use that interact with systems of Nasdaq and its affiliates (collectively, Nasdaq). This specification is proprietary to Nasdaq.

Nasdaq reserves the right to withdraw, modify, or replace this specification at any time, without prior notice. No obligation is made by Nasdaq regarding the level, scope or timing of Nasdaq's implementation of the functions or features discussed in this specification. The specification is provided "AS IS," "WITH ALL FAULTS". Nasdaq makes no warranties to this specification or its accuracy, and disclaims all warranties, whether express, implied, or statutory related to the specification or its accuracy. This document is not intended to represent an offer of any terms by Nasdaq. Whilst all reasonable care has been taken to ensure that the details contained herein are true and not misleading at the time of publication, no liability whatsoever is assumed by Nasdaq for any incompleteness or inaccuracies. By using this specification you agree that you will not, without prior written permission from Nasdaq, copy or reproduce the information in this specification except for the purposes noted above. You further agree that you will not, without prior written permission from Nasdaq, store the information contained in this specification in a retrieval system, or transmit it in any form or by any means, whether electronic, mechanical, or otherwise except for the purposes noted above. In addition you agree that you will not, without prior written permission from Nasdaq, permit access to the information contained herein except to those with a need-to-know for the purposes noted above.

Copyright. © 2026, Nasdaq, Inc.

TABLE OF CONTENTS

1. IP ADDRESSING	4
1.1. PRODUCTION (PRIMARY SITE - VASBY)	4
1.2. PRODUCTION (DR SITE - STOCKHOLM SOUTH).....	6
1.3. NASDAQ TESTING FACILITIES.....	7
1.4.1 External Test 1 (EXT1)	7
1.4.2 External Test 4 (EXT4)	8
2. REVISION HISTORY	10

1. IP ADDRESSING

Nasdaq Nordic uses public registered IP addresses. Each FIX session is individually addressed. Please contact MAC@nasdaq.com for further information.

The market data group identifiers for example “A-X” is in conjunction with the Market Data feed presentations available on Nasdaq website. <https://www.nasdaq.com/solutions/genium-inet-protocol-specifications>

1.1. Production (Primary Site - VASBY)

Site A Primary	IP / MC Address	Port-Range	Purpose
OMnet Order entry	159.79.82.1	TCP 8024	Trading applications
OMnet Order entry Trouble Shooting	159.79.82.1	TCP 8031	Used for trouble shooting
OMnet Clearing	159.79.82.2	TCP 8024	Clearing applications
OMnet Clearing Trouble Shooting	159.79.82.1	TCP 8031	Used for trouble shooting
FIX Clearing for Fixed Income Derivatives	159.79.84.0/25	TCP 17000-17399	Primary FIX Gateway
FIX Clearing failover for Fixed Income Derivatives	159.79.84.0/25	TCP 17000-17399	Secondary FIX Gateway
FIX Clearing Drop Copy for Fixed Income Derivatives (Clearing information only)	159.79.84.0/25	TCP 19000-19399	Primary FIX Gateway
FIX Clearing for Equity Derivatives	159.79.84.0/25	TCP 17000-17399	Primary FIX Gateway
FIX Clearing failover for Equity Derivatives	159.79.84.0/25	TCP 17000-17399	Secondary FIX Gateway
FIX Clearing Drop Copy for Equity Derivatives (Clearing information only)	159.79.84.0/25	TCP 19000-19399	Primary FIX Gateway
FIX Order entry for Commodities	159.79.84.0/25	TCP 17400-17599	Primary FIX Gateway
FIX Order entry failover for Commodities	159.79.84.0/25	TCP 17400-17599	Secondary FIX Gateway
FIX Drop Copy for Commodities	159.79.84.0/25	TCP 19400-19599	Primary FIX Gateway
Global Vision	159.79.84.47	TCP 4000-4003	Trayport application
TradeGuard (former PRM) Commodities	159.79.79.19 https://cprm.nasdaqomxtrader.com/grx/	TCP 443	Pre-Trade Risk Management Web GUI

Market Data	IP / MC Address	Port-Range	Source IP Address
Genium Consolidated Feed	Information on GCF can be found here https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf		
ITCH			
ITCH group "A-C" for Commodities	233.74.125.4	UDP 31004	159.79.85.40
Re-request Group "A-C" for Commodities	159.79.84.38	UDP 31504	N/A
ITCH group "A-C" for Commodities 1G Co-lo	233.74.125.4	UDP 31004	159.79.85.40
Re-request Group "A-C" for Commodities 1G Co-lo	159.79.84.38	UDP 31504	N/A
ITCH group "C-C" for Commodities 1G Co-lo	233.74.125.101	UDP 31101	159.79.85.56
Re-request Group "C-C" for Commodities 1G Co-lo	159.79.84.39	UDP 31601	N/A
Auxiliary Market Data			
AMD group "A-Ct" for Commodities	233.74.125.7	UDP 31007	159.79.85.40
Re-request Group "A-Ct" for Commodities	159.79.84.38	UDP 31507	N/A
AMD group "A-Ct" for Commodities 1G Co-lo	233.74.125.7	UDP 31007	159.79.85.40
Re-request Group "A-Ct" for Commodities 1G Co-lo	159.79.84.38	UDP 31507	N/A
AMD group "C-Ct" for Commodities 1G Co-lo	233.74.125.104	UDP 31104	159.79.85.56
Re-request Group "C-Ct" for Commodities 1G Co-lo	159.79.84.39	UDP 31604	N/A
Glimpse Re-request			
Glimpse "A" for Commodities	159.79.84.38	TCP 21825	N/A
Glimpse "A" for Commodities 1G Co-lo	159.79.84.38	TCP 21825	N/A
Glimpse "C" for Commodities 1G Co-lo	159.79.84.39	TCP 21825	N/A

1.2. Production (DR Site - STOCKHOLM SOUTH)

Site B (DR site)	IP / MC Address	Port-Range	Purpose
OMnet Order entry	159.79.78.1	TCP 8024	Trading applications
OMnet Order entry Trouble Shooting	159.79.78.1	TCP 8031	Used for trouble shooting
OMnet Clearing	159.79.78.2	TCP 8024	Clearing applications
OMnet Clearing Trouble Shooting	159.79.78.1	TCP 8031	Used for trouble shooting
FIX Clearing for Fixed Income Derivatives	159.79.78.64/26	TCP 17000-17399	Disaster Recovery FIX Gateway
FIX Clearing Drop Copy for Fixed Income Derivatives (Clearing information only)	159.79.78.64/26	TCP 19000-19399	Disaster Recovery FIX Gateway
FIX Clearing for Equity Derivatives	159.79.78.64/26	TCP 17000-17399	Disaster Recovery FIX Gateway
FIX Clearing Drop Copy for Equity Derivatives (Clearing information only)	159.79.78.64/26	TCP 19000-19399	Disaster Recovery FIX Gateway
FIX Order entry for Commodities	159.79.78.64/26	TCP 17400-17599	Disaster Recovery FIX Gateway
FIX Drop Copy for Commodities	159.79.78.64/26	TCP 19400-19599	Disaster Recovery FIX Gateway
Global Vision	159.79.78.74	TCP 4000-4003	Trayport application
TradeGuard (former PRM) Commodities	159.79.79.72 https://cprm-dr.nasdaqomxtrader.com/grx/	TCP 443	Pre-Trade Risk Management Web GUI

Market Data	IP / MC Address	Port-Range	Source IP Address
Genium Consolidated Feed	Information on GCF can be found here https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf		
ITCH			
ITCH group "B-C" for Commodities	233.74.125.193	UDP 31193	159.79.78.129
Re-request Group "B-C" for Commodities	159.79.78.85	UDP 31693	N/A
Auxiliary Market Data			
AMD group "B-Ct" for Commodities	233.74.125.196	UDP 31196	159.79.78.129
Re-request Group "B-Ct" for Commodities	159.79.78.85	UDP 31696	N/A
Glimpse Re-request			
Glimpse "B" for Commodities	159.79.78.85	TCP 21825	N/A

1.3. Nasdaq Testing Facilities

1.4.1 External Test 1 (EXT1)

External Test 1	IP / MC Address	Port-Range	Purpose
OMnet Order entry	159.79.68.81	TCP 8024	Trading applications
OMnet Order entry Trouble Shooting	159.79.68.81	TCP 8031	Used for trouble shooting
OMnet Clearing	159.79.68.82	TCP 8024	Clearing applications
OMnet Clearing Trouble Shooting	159.79.68.81	TCP 8031	Used for trouble shooting
FIX Clearing for Fixed Income Derivatives	159.79.80.0/24	TCP 17000-17399	Primary FIX Gateway
FIX Clearing failover for Fixed Income Derivatives	159.79.80.0/24	TCP 17000-17399	Secondary FIX Gateway
FIX Clearing Drop Copy for Fixed Income Derivatives (Clearing information only)	159.79.80.0/24	TCP 19000-19399	Primary FIX Gateway
FIX Clearing Drop Copy failover for Fixed Income Derivatives (Clearing information only)	159.79.80.0/24	TCP 19000-19399	Secondary FIX Gateway
FIX Clearing for Equity Derivatives	159.79.80.0/24	TCP 17000-17399	Primary FIX Gateway
FIX Clearing failover for Equity Derivatives	159.79.80.0/24	TCP 17000-17399	Secondary FIX Gateway
FIX Clearing Drop Copy for Equity Derivatives (Clearing information only)	159.79.80.0/24	TCP 19000-19399	Primary FIX Gateway
FIX Clearing Drop Copy failover for Equity Derivatives (Clearing information only)	159.79.80.0/24	TCP 19000-19399	Secondary FIX Gateway
FIX Order entry for Commodities	159.79.80.0/24	TCP 17400-17599	Primary FIX Gateway
FIX Order entry failover for Commodities	159.79.80.0/24	TCP 17400-17599	Secondary FIX Gateway
FIX Drop Copy for Commodities	159.79.80.0/24	TCP 19400-19599	Primary FIX Gateway
FIX Drop Copy failover for Commodities	159.79.80.0/24	TCP 19400-19599	Secondary FIX Gateway
Global Vision / Joule	159.79.80.77	TCP 4000-4003	Trayport application
TradeGuard (former PRM) Commodities	159.79.79.40 https://cprm-ext1-test.nasdaqomxtrader.com/grx/	TCP 443	Pre-Trade Risk Management Web GUI

Market Data based on data from EXT1	IP / MC Address	Port-Range	Source IP Address
Genium Consolidated Feed	Information on GCF can be found here https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf		

1.4.2 External Test 4 (EXT4)

External Test 4	IP / MC Address	Port-Range	Purpose
OMnet Order entry	159.79.68.87	TCP 8024	Trading applications
OMnet Order entry Trouble Shooting	159.79.68.87	TCP 8031	Used for trouble shooting
OMnet Clearing	159.79.68.88	TCP 8024	Clearing applications
OMnet Clearing Trouble Shooting	159.79.68.87	TCP 8031	Used for trouble shooting
FIX Clearing for Fixed Income Derivatives	159.79.80.0/24	TCP 17000-17399	Primary FIX Gateway
FIX Clearing failover for Fixed Income Derivatives	159.79.80.0/24	TCP 17000-17399	Secondary FIX Gateway
FIX Clearing Drop Copy for Fixed Income Derivatives (Clearing information only)	159.79.80.0/24	TCP 19000-19399	Primary FIX Gateway
FIX Clearing Drop Copy failover for Fixed Income Derivatives (Clearing information only)	159.79.80.0/24	TCP 19000-19399	Secondary FIX Gateway
FIX Clearing for Equity Derivatives	159.79.80.0/24	TCP 17000-17399	Primary FIX Gateway
FIX Clearing failover for Equity Derivatives	159.79.80.0/24	TCP 17000-17399	Secondary FIX Gateway
FIX Clearing Drop Copy for Equity Derivatives (Clearing information only)	159.79.80.0/24	TCP 19000-19399	Primary FIX Gateway
FIX Clearing Drop Copy failover for Equity Derivatives (Clearing information only)	159.79.80.0/24	TCP 19000-19399	Secondary FIX Gateway
FIX Order entry for Commodities	159.79.80.0/24	TCP 17400-17599	Primary FIX Gateway
FIX Order entry failover for Commodities	159.79.80.0/24	TCP 17400-17599	Secondary FIX Gateway
FIX Drop Copy for Commodities	159.79.80.0/24	TCP 19400-19599	Primary FIX Gateway
FIX Drop Copy failover for Commodities	159.79.80.0/24	TCP 19400-19599	Secondary FIX Gateway

Market Data based on data from EXT4	IP / MC Address	Port-Range	Source IP Address
Genium Consolidated Feed	Information on GCF can be found here https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf		
ITCH			
ITCH group "A-C2" for Commodities	233.74.125.153	UDP 31153	159.79.85.85
Re-request Group "A-C2" for Commodities	159.79.80.74	UDP 31653	N/A
Auxiliary Market Data			
AMD group "A-Ct2" for Commodities	233.74.125.156	UDP 31156	159.79.85.85

Re-request Group "A-Ct2" for Commodities	159.79.80.74	UDP 31656	N/A
Glimpse Re-request			
Glimpse for Commodities	159.79.80.74	TCP 21825	N/A

2. REVISION HISTORY

Date	Revision	Change Description
January 11, 2017	1.4	Added connectivity details to EXT1 TradeGuard. Removed the legacy port 80 from Production and EXT3 TradeGuard. Corrected the URLs to Production TradeGuard. Added "Revision History".
May 4, 2018	1.5	Updated the URLs to Technical Information webpage Added connectivity details to Q-Port in Production, EXT1 and EXT4. Removed the details to the legacy application Clearing Workstation 2.
June 28, 2023	1.6	Removed/edited references to Equity Derivatives. Removed references to Q-Port via Extranet.
November 29, 2024	2.0	Added connectivity details to new Production DR-site (STOCKHOLM SOUTH). Removed references to legacy Market Data 10G feeds for Commodities.
December 2, 2024	2.1	Removed references to legacy FIX Drop Copy failover on Production Primary Site for Equity Derivatives, Fixed Income Cash, Fixed Income Derivatives and Commodities.
November 24, 2025	3.0	Updated connectivity details to TradeGuard (formed PRM). Updated references to Fixed Income Derivatives. Removed references to Fixed Income Cash. Removed connectivity details to legacy Production DR-site (PORT).
December 2, 2025	3.1	Updated TradeGuard URLs
March 19, 2026	3.2	Removed references to External Test 3 (EXT3).