

# Nasdaq Nordic

---

## Genium INET Connectivity Information

Version 4.0 | 1 Jul 2026



# CONFIDENTIALITY/DISCLAIMER

This specification is being forwarded to you strictly for informational purposes and solely for the purpose of developing or operating systems for your use that interact with systems of Nasdaq and its affiliates (collectively, Nasdaq). This specification is proprietary to Nasdaq.

Nasdaq reserves the right to withdraw, modify, or replace this specification at any time, without prior notice. No obligation is made by Nasdaq regarding the level, scope or timing of Nasdaq's implementation of the functions or features discussed in this specification. The specification is provided "AS IS," "WITH ALL FAULTS". Nasdaq makes no warranties to this specification or its accuracy, and disclaims all warranties, whether express, implied, or statutory related to the specification or its accuracy. This document is not intended to represent an offer of any terms by Nasdaq. Whilst all reasonable care has been taken to ensure that the details contained herein are true and not misleading at the time of publication, no liability whatsoever is assumed by Nasdaq for any incompleteness or inaccuracies. By using this specification you agree that you will not, without prior written permission from Nasdaq, copy or reproduce the information in this specification except for the purposes noted above. You further agree that you will not, without prior written permission from Nasdaq, store the information contained in this specification in a retrieval system, or transmit it in any form or by any means, whether electronic, mechanical, or otherwise except for the purposes noted above. In addition you agree that you will not, without prior written permission from Nasdaq, permit access to the information contained herein except to those with a need-to-know for the purposes noted above.

Copyright. © 2026, Nasdaq, Inc.

TABLE OF CONTENTS

**1. IP ADDRESSING .....4**

1.1. PRODUCTION (PRIMARY SITE - VASBY) ..... 4

1.2. PRODUCTION (DR SITE - STOCKHOLM SOUTH)..... 5

1.3. NASDAQ TESTING FACILITIES..... 6

1.4.1 External Test 1 (EXT1) ..... 6

1.4.2 External Test 4 (EXT4) ..... 7

**2. REVISION HISTORY .....8**

# 1. IP ADDRESSING

Nasdaq Nordic uses public registered IP addresses. Each FIX session is individually addressed. Please contact our account support at [mac@nasdaq.com](mailto:mac@nasdaq.com) for further information.

The market data group identifiers, for example "A-X", are in conjunction with the Market Data feed presentations available on our Nasdaq website. <https://www.nasdaq.com/solutions/genium-inet-protocol-specifications>

## 1.1. Production (Primary Site - VASBY)

| Site A Primary                                                                            | IP / MC Address | Port-Range      | Purpose                   |
|-------------------------------------------------------------------------------------------|-----------------|-----------------|---------------------------|
| OMnet Clearing                                                                            | 159.79.82.2     | TCP 8024        | Clearing applications     |
| OMnet Clearing Trouble Shooting                                                           | 159.79.82.1     | TCP 8031        | Used for trouble shooting |
| FIX Clearing for <b>Fixed Income Derivatives</b>                                          | 159.79.84.0/25  | TCP 17000-17399 | Primary FIX Gateway       |
| FIX Clearing failover for <b>Fixed Income Derivatives</b>                                 | 159.79.84.0/25  | TCP 17000-17399 | Secondary FIX Gateway     |
| FIX Clearing Drop Copy for <b>Fixed Income Derivatives</b><br>(Clearing information only) | 159.79.84.0/25  | TCP 19000-19399 | Primary FIX Gateway       |
| FIX Clearing for <b>Equity Derivatives</b>                                                | 159.79.84.0/25  | TCP 17000-17399 | Primary FIX Gateway       |
| FIX Clearing failover for <b>Equity Derivatives</b>                                       | 159.79.84.0/25  | TCP 17000-17399 | Secondary FIX Gateway     |
| FIX Clearing Drop Copy for <b>Equity Derivatives</b><br>(Clearing information only)       | 159.79.84.0/25  | TCP 19000-19399 | Primary FIX Gateway       |

| Market Data              | IP / MC Address                                                                                                                                                                                                               | Port-Range | Source IP Address |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------|
| Genium Consolidated Feed | Information on GCF can be found here<br><a href="https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf">https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf</a> |            |                   |

## 1.2. Production (DR Site - STOCKHOLM SOUTH)

| Site B (DR site)                                                                       | IP / MC Address | Port-Range      | Purpose                       |
|----------------------------------------------------------------------------------------|-----------------|-----------------|-------------------------------|
| OMnet Clearing                                                                         | 159.79.78.2     | TCP 8024        | Clearing applications         |
| OMnet Clearing Trouble Shooting                                                        | 159.79.78.1     | TCP 8031        | Used for trouble shooting     |
| FIX Clearing for <b>Fixed Income Derivatives</b>                                       | 159.79.78.64/26 | TCP 17000-17399 | Disaster Recovery FIX Gateway |
| FIX Clearing Drop Copy for <b>Fixed Income Derivatives</b> (Clearing information only) | 159.79.78.64/26 | TCP 19000-19399 | Disaster Recovery FIX Gateway |
| FIX Clearing for <b>Equity Derivatives</b>                                             | 159.79.78.64/26 | TCP 17000-17399 | Disaster Recovery FIX Gateway |
| FIX Clearing Drop Copy for <b>Equity Derivatives</b> (Clearing information only)       | 159.79.78.64/26 | TCP 19000-19399 | Disaster Recovery FIX Gateway |

| Market Data              | IP / MC Address                                                                                                                                                                                                               | Port-Range | Source IP Address |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------|
| Genium Consolidated Feed | Information on GCF can be found here<br><a href="https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf">https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf</a> |            |                   |

## 1.3. Nasdaq Testing Facilities

### 1.4.1 External Test 1 (EXT1)

| External Test 1                                                                                       | IP / MC Address | Port-Range      | Purpose                   |
|-------------------------------------------------------------------------------------------------------|-----------------|-----------------|---------------------------|
| OMnet Clearing                                                                                        | 159.79.68.82    | TCP 8024        | Clearing applications     |
| OMnet Clearing Trouble Shooting                                                                       | 159.79.68.81    | TCP 8031        | Used for trouble shooting |
| FIX Clearing for<br><b>Fixed Income Derivatives</b>                                                   | 159.79.80.0/24  | TCP 17000-17399 | Primary FIX Gateway       |
| FIX Clearing failover for<br><b>Fixed Income Derivatives</b>                                          | 159.79.80.0/24  | TCP 17000-17399 | Secondary FIX Gateway     |
| FIX Clearing Drop Copy for<br><b>Fixed Income Derivatives</b><br>(Clearing information only)          | 159.79.80.0/24  | TCP 19000-19399 | Primary FIX Gateway       |
| FIX Clearing Drop Copy failover for<br><b>Fixed Income Derivatives</b><br>(Clearing information only) | 159.79.80.0/24  | TCP 19000-19399 | Secondary FIX Gateway     |
| FIX Clearing for<br><b>Equity Derivatives</b>                                                         | 159.79.80.0/24  | TCP 17000-17399 | Primary FIX Gateway       |
| FIX Clearing failover for<br><b>Equity Derivatives</b>                                                | 159.79.80.0/24  | TCP 17000-17399 | Secondary FIX Gateway     |
| FIX Clearing Drop Copy for<br><b>Equity Derivatives</b><br>(Clearing information only)                | 159.79.80.0/24  | TCP 19000-19399 | Primary FIX Gateway       |
| FIX Clearing Drop Copy failover for<br><b>Equity Derivatives</b><br>(Clearing information only)       | 159.79.80.0/24  | TCP 19000-19399 | Secondary FIX Gateway     |

| Market Data based on data from EXT1 | IP / MC Address                                                                                                                                                                                                               | Port-Range | Source IP Address |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------|
| Genium Consolidated Feed            | Information on GCF can be found here<br><a href="https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf">https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf</a> |            |                   |

### 1.4.2 External Test 4 (EXT4)

| External Test 4                                                                                       | IP / MC Address | Port-Range      | Purpose                   |
|-------------------------------------------------------------------------------------------------------|-----------------|-----------------|---------------------------|
| OMnet Clearing                                                                                        | 159.79.68.88    | TCP 8024        | Clearing applications     |
| OMnet Clearing Trouble Shooting                                                                       | 159.79.68.87    | TCP 8031        | Used for trouble shooting |
| FIX Clearing for<br><b>Fixed Income Derivatives</b>                                                   | 159.79.80.0/24  | TCP 17000-17399 | Primary FIX Gateway       |
| FIX Clearing failover for<br><b>Fixed Income Derivatives</b>                                          | 159.79.80.0/24  | TCP 17000-17399 | Secondary FIX Gateway     |
| FIX Clearing Drop Copy for<br><b>Fixed Income Derivatives</b><br>(Clearing information only)          | 159.79.80.0/24  | TCP 19000-19399 | Primary FIX Gateway       |
| FIX Clearing Drop Copy failover for<br><b>Fixed Income Derivatives</b><br>(Clearing information only) | 159.79.80.0/24  | TCP 19000-19399 | Secondary FIX Gateway     |
| FIX Clearing for<br><b>Equity Derivatives</b>                                                         | 159.79.80.0/24  | TCP 17000-17399 | Primary FIX Gateway       |
| FIX Clearing failover for<br><b>Equity Derivatives</b>                                                | 159.79.80.0/24  | TCP 17000-17399 | Secondary FIX Gateway     |
| FIX Clearing Drop Copy for<br><b>Equity Derivatives</b><br>(Clearing information only)                | 159.79.80.0/24  | TCP 19000-19399 | Primary FIX Gateway       |
| FIX Clearing Drop Copy failover for<br><b>Equity Derivatives</b><br>(Clearing information only)       | 159.79.80.0/24  | TCP 19000-19399 | Secondary FIX Gateway     |

| Market Data based on<br>data from EXT4 | IP / MC Address                                                                                                                                                                                                               | Port-Range | Source IP<br>Address |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------|
| Genium Consolidated Feed               | Information on GCF can be found here<br><a href="https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf">https://www.nasdaq.com/solutions/technical-information-genium-consolidated-feed-gcf</a> |            |                      |

## 2. REVISION HISTORY

| Date              | Revision | Change Description                                                                                                                                                                                                           |
|-------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| January 11, 2017  | 1.4      | Added connectivity details to EXT1 TradeGuard.<br>Removed the legacy port 80 from Production and EXT3 TradeGuard.<br>Corrected the URLs to Production TradeGuard.<br>Added "Revision History".                               |
| May 4, 2018       | 1.5      | Updated the URLs to Technical Information webpage<br>Added connectivity details to Q-Port in Production, EXT1 and EXT4.<br>Removed the details to the legacy application Clearing Workstation 2.                             |
| June 28, 2023     | 1.6      | Removed/edited references to Equity Derivatives.<br>Removed references to Q-Port via Extranet.                                                                                                                               |
| November 29, 2024 | 2.0      | Added connectivity details to new Production DR-site (STOCKHOLM SOUTH).<br>Removed references to legacy Market Data 10G feeds for Commodities.                                                                               |
| December 2, 2024  | 2.1      | Removed references to legacy FIX Drop Copy failover on Production Primary Site for Equity Derivatives, Fixed Income Cash, Fixed Income Derivatives and Commodities.                                                          |
| November 24, 2025 | 3.0      | Updated connectivity details to TradeGuard (formed PRM).<br>Updated references to Fixed Income Derivatives.<br>Removed references to Fixed Income Cash.<br>Removed connectivity details to legacy Production DR-site (PORT). |
| December 2, 2025  | 3.1      | Updated TradeGuard URLs                                                                                                                                                                                                      |
| March 19, 2026    | 3.2      | Removed references to External Test 3 (EXT3).                                                                                                                                                                                |
| July 01, 2026     | 4.0      | <b>Removed Commodities trading and clearing</b>                                                                                                                                                                              |